P-Patch Community Gardening Program Making Gardens Accessible for All

Tip
PP307
3/20/2014

P-Patch TIPS are reference documents that address topics related to the development and ongoing management of P-Patch Community Gardens.

P-Patches are designed to be inclusive and engaging amenities for all individuals Accessible gardens are designed to allow direct participation of people of all ages and abilities. When making improvements or for new construction all design and capital projects on City of Seattle property are required by federal law to provide readily accessible facilities per the Americans with Disabilities Act (ADA).

What does that mean for you building a P-Patch Community Garden? P-Patch requires at a minimum at new or redeveloping gardens accessible gardening beds, tool storage of some kind, water source and clear pathway to and in gathering area. When possible we strongly encourage designs that allow movement through the whole garden for all abilities. Site topography and overall size of the garden will dictate level of accessibility and available space for gardening.

Site Considerations

Location of Beds: Garden beds should be located close to garden entrances, near parking drop off areas, tool storage, and adjacent to a water station. The access pathway to the beds should be flat and not require travel along any slopes. Turn-around areas should have 6' x 6' available at both ends of the beds, and the minimum dimensions for pathways should be 48" for single wheelchairs.

Pathways & Surfaces: Must be firm, stable and slip resistant. Walkable surfaces should try to be no steeper than 1:20 (1' rise in 20') or 5% maximum, with a cross slope maximum of 2% or 1:48.

 Pathways to accessible area should be no less than 48".

Accessible Path Materials: For gravel foundation should be 4 inches of 5/8" minus, compacted to 90 - 95%. Top surface should be 1" - 2" of 1/4" to dust or 1/4 minus gravel.



Raise beds, such as this one at Eastlake, can make gardening


- Gravel must be angular versus round. Pavers: Foundation should be 4 inches with a compacted base to lay bricks/pavers on level. Watch for Changes in Level 1/4" to 1/2" max depending if it has a bevel, and then gaps can only be 1/2" maximum, joints between the pavers could end up being firm and stable enough that a wheel would not get stuck.
- Rest and Gathering Areas: Should be accessible to everyone. Tables should permit wheelchairs to roll under and be comfortable for older adults. Consider adding benches in walkways for resting.
- Drop-off Areas/Parking: If possible but not required, should be near the accessible areas, with safe areas for transfer in/out of vehicles, and designated parking. There should be no grade change between roadway and garden entrance unless ramps and curb cuts are used. Ramps (when steeper than 1:20 is required) should not be steeper than 1:12 (1'rise in 12') or 8.3% maximum. Ramps should not go longer than 30' (or rise 30") before a flat landing is created.



P-PATCH COMMUNITY GARDENING PROGRAM

www.seattle.gov/neighborhoods • 206 684 0464

- Water: Should be placed close to garden beds, should come out of raised spigot 24" 36", a light-weight hose should be easily accessible, and hand levers rather than round handles should be used to make it easier to turn on water. Drainage should be considered as not to drain onto the person doing the watering. Water barrels may be placed nearby ADA modified plots if the plots cannot be situated adjacent to watering stations.
- Tool Shed Modifications: At a minimum you are required to provide a way to store tools used at accessible beds. The tool shed should be located as close as possible to the accessible beds and have level, solid surface pathways leading to it. For wheelchair access within a general shed, the doors must be at least 48". You should allow 60+" inside to allow for a 360° turn. Tools and workbench tops should be stored no higher than 44"-



48" and no lower than **18**", reach depth should not exceed **20**" with no obstruction in front.

General Garden Bed Considerations

There are a number of different options for creating accessible garden beds. The type chosen is dependent upon the specific needs of each garden and its community. Square feet of gardening space is based on overall size of garden.

The bulk of accessible beds fall into three categories: walker, wheelchair, and table-top raised garden beds. Planters are elevated containers which have bottoms that permit drainage.

General Raised Bed Considerations: Side walls of beds should be constructed as thin as possible due to the limited reach of the seated gardener. If the intent is to enable gardeners to sit on the bed, the platform

All beds/planters must be stable enough so they won't tip over and can be used for support. The beds should contain enough soil volume to support mature plants and not dry out too quickly.

- Walker Modified Beds: Should have a maximum height of 35", a maximum width of 36", and be designed with a 24" soil depth in mind (with any remaining depth filled with crushed gravel to facilitate drainage). Ideally, the beds would be outfitted with handrails around the perimeters.
- Wheelchair Modified Beds: Should have a
 maximum height of 24" and a maximum width of
 12" (though if accessible from two sides the width
 can be 24"). Ideally, wheelchair modified beds will
 taper out from the bottom in order to accommodate
 room for legs/feet while seated and allowing headon access rather than to-the-side access.
 - Table-top Style Beds: (These types of beds are helpful for those with limited sight.) If this style is chosen, be aware of the following considerations. A north-south orientation for the planter is best for lowgrowing crops. Drilling 1/2-inch holes every 6 inches across the base promotes good drainage, and lining the planting bed bottom with a landscaping fabric before adding the soil mix allows only the water to drain through the holes. Secure the footings into the ground with cement for best stabilization. Table-top gardens can help the visually impaired by bringing the garden closer to eye level, while permitting those in chairs to wheel under.





P-PATCH COMMUNITY GARDENING PROGRAM

Garden Bed / Planter Material Considerations:

- Wood or Block Raised Beds: Other gardens have built tall planter boxes out of wood, Cinder blocks, landscape edging blocks, stone, bricks, and poured concrete are other choices.
- Metal Troughs: A common approach is to purchase metal water troughs from feed stores and fill them as planters. They come in many sizes, shapes, and prices. Some gardens have raised these up on wood blocks to create a more optimal height. Seating should be considered.
- Alternative/Additional Modifications: Container gardening may be one alternative to consider as it allows for ease of access with a minimum of construction know-how.
- **Soil:** Should be loose, light and well-drained to enable weakened hands to work in without strain. Good soil may be derived from mixing equal parts topsoil, sand and compost. Test the soil mixture for nutrients and pH, and add lime or sulfur to bring the pH to about 6.0 6.5. When filling the planter bed, remember to allow space for 1 to 2 inches of mulch on top of the soil.

Tools

Most tools can be modified with D-grips or T-grips, telescopic handles, and/or various other modifications to facilitate ease of use for seated gardeners and for gardeners with limited gripping strength. Modified tools might be stored in accessible containers adjacent to modified plots if situation of the tool shed cannot accommodate ease of wheelchair or walker access.



Hearing and Sight

When designing your garden think about all levels of ability.

Does a Gardener Need Special Accommodations?

The P-Patch Program, subject to reasonable fiscal and site limitations, shall provide reasonable accommodations to the public, on request, for physical and gardening access, communications, or other needs in order to allow participation of people with disabilities in services, programs, and activities.

Gardeners may make a request for a reasonable accommodation to the P-Patch program based on a disability. For more information please contact P-Patch staff.

Additional Resources

- Buehler Enabling Garden:
 http://www.chicagobotanic.org/explore/enabling features.php
- American Community Gardening Association: http://www.communitygarden.org/ learn/faq.php#options
- Office of Civil Rights: http:// www.seattle.gov/civilrights/disability.htm
- Seattle City ADA Compliance and Resources: http://www.seattle.gov/contracting/ada.htm
- 2010 ADA Standards for Accessible Design: http://www.ada.gov/2010ADAstandards index.htm
- Universal Design: http://www.washington.edu/doit/universal-design-instruction-udi-definition-principles-guidelines-and-examples

Literature

- Enabling Garden: A Guide To Lifelong Gardening by Gene Rothert
- Accessible Gardening for People With Physical Disabilities: A Guide to Methods, Tools, and Plants by Janeen R Adil
- Accessible Gardening: Tips and Techniques for Seniors and the Disabled by Joann Woy



P-PATCH COMMUNITY GARDENING PROGRAM

P-Patch Community Gardening Program Accessible Beds in P-Patch

Accessible raised beds

Belltown-8P

Capoads-8P

Flight Ave & Mine St.

Broadway HIII-8P Federal Ave E & E Republican

Horulohi Park-LR

Pelloan Tea-8P

Republican-8P

Howell Collective-8P

Boren Ave & Yesler 8t

16th Ave E & E Howell St.

1909 E Roy St. (Alley location)

1750 8 Bradner Pl.(29th Ave 8)

Beacon Food Forest 8P

15th Ave 8 & 8 Dekote St.

171928 32nd Ave 8

Courtland Place-JB

3800 36h Ave 8

Ectelle StreetJB

8nogusimie-JB

4549 13th Ave 8

3400 Rainler Ave 8

Minor Ave N & Thomas St

Northwest Downtown Ballard-JB 2527 25th Ave NW **+ 73** Bitterlake-KF Linden Ave N& N143d St **EvanctonKF** 604 N 101st 8t 345 NW 88 8t. \$33 Greenwood 8tation/JB Fremont Ave N&N 89th St. 37 Haller Lake-KF 13045 1st Ave NE ***** 81 Kirke Park-JB 7028 9th Ave NW Linden Orohard-KF Linden Ave N& N67th 8t Lioton 8prings-KF College Way & 92nd St. Phinney Ridge-KF 5926 3rd Ave N/V Ship Can al West 3935 Woodland Park Ave N Good ShepherdKF 4818 Bagley Ave N 38 Greg's GardenJB 14th Ave NW & NW 54th St. Hazel Heights-KF Baker Ave N/V & N/V 42nd St. Interbay-8P 245115h AveW **\$ 80** Magnolla Manor Park-8P 3500 28th Ave W Queen Anne-8P 3rd Ave N & Lynn St. Queen Pes-8P 5th Ave N& Howe St. Thyme Patch Park-JB 2855 NW 58th St. UpGarden-8P 3rd Ave N & Roy St

4 29

+ 64

65

+ 63

\$ 52

Hillman City-JB

46138 Ludie 8t

John C Little-BY 37th Ave 8 & 8 Willow St.

51stAve 8 & 8 Leo 8t

NH Lucky Garden-BY

Shafer Ave 8 & 8 Holy St.

29th Ave 8 & 8 Brighton 8t

NH Power Garden-BY

7139 Holly Park Dr. 8

NH Youth & Family-KF

NH Rookery-BY

Oxbow Park-LR

Thictie-BY

8400 Corson Ave 8

32nd Ave 8 & 8 Brighton St

Holly Park Dr. 8 & 40th Ave 8

Holly Park Dr. S. & 40th Ave S


NH Rookery MarketBY/JB


MLK Jr. Way & Coverdale

Leo FarmLR

20th Ave E & E Republican St. Thomas Street Gardens-SP Unpaying Paradice-8P Summit Ave E & E John St YT PlaygroundLR 929 Washington St. 8 YT Ballpark Garden-LR 219 8h Ave 8 YT Freeway Garden-LR + 62 8 Main 8t & H5 Central East Beacon Buff-LR 120115h Ave 8 Climbing Water-LR 800 Havetha Pl. 8 + 54 Hawking-KF 504 Martin Luther King Jr. Way Ida Ma-8P Madison St. & Lake Washington Blvd. (Alley location) Immaoutate I R 18th Ave E & E Columbia St. Judkins-LR 24th Ave 8 & 8 Norman 8. Mad-P-8P 3000 E Mercer St **\$** 55 8pring 8treet-KF 25th Ave E & E 8 pmg St. 8 guire Park-LR 14th Ave & E Rr & Angel MorganJB 3956 8 Morgan 8t. Greater Duwamish & SE Seattle Brandon Steet Crohard-JB 4825 8 Brandon 8t. Bradner Gardens Park-BY

	5.660.000.000
* 1	Jackson Park-KF 13049 10th Ave NE
+ 84	Lake City CourtKF 12538 33rd Ave NE
53	Maple LeafKF 5th Ave NE & NE 103rd
+ 5	Ploardo Farm-RM 804025th AveNE
+ 2	Pinehurst-KF
+ 42	11525 12th Ave NE Roocevelt-KF 701212th Ave NE
Ship C	an al East
8	Burks-Oliman-KF
+ 12	Sand Point Way NE & NE 52nd Eastlake-8P
	2900 Reliview Ave E
• 7	Magnuson-KF Sandpoint Way NE & NE 70th
8	Ravenna-KF 5200 Ravema Ave NE
77	8higa's Garden-8P 5522 Univesity Way NE
+ 10	University District 8P
◆ □17	4009 8th Ave NE University Heights-8P 5031 Univesity Wey NE
West \$ ◆ 85 ◆ 16	Barton 8teetLR 34th Aire SW & SW Barton St Delridge-BY
8 5	Barton 8treefLR 34th Are SW & SW Barton St
• 85 • 16	Barton 8 restLR 34th Aire SW & SW Barton St Deiridge BY 5078 25th Aire SW HP Commons Park BY
• 85 • 16 • 70	Barton 8 teetLR 34th Ave SW & SW Barton 8t Deiridge BY 5078 25th Ave SW HP Common Park BY 32nd Ave SW & SW Graham 8t. HP Juneau BY SW Juneau & 32nd Ave SW HP Juneau Market BYJJB
• 85 • 16 + 70 + 88	Barton StreetLR 34th Ave SW & SW Barton St Deiridge-BY 5078 25th Ave SW HP Commons Park-BY 32nd Ave SW & SW Graham St. HP Juneau-BY SW Juneau-8, 32nd Ave SW HP Juneau-8, 32nd Ave SW HP Juneau-8, 32nd Ave SW HP MacAuthur Park-BY 2725 MacAuthur Lane Lincoln Park-LR
• 85 • 16 + 70 + 68 + 69	Barton 8tee\$LR 34th Aire 8W & 8W Berton 8t Deiridge.BY 5078 25th Aire 8W HP Commons Parik.BY 32nd Aire 8W 8 8W Graham 8t. HP Juneau BY 8W Juneau & 32nd Aire 8W HP MaoArthur Parik.BY 2726 Mac Arthur Lane Lincoln Parik.LR 7400 Reunteroy Way 8W Longfallow Creek.LR
• 85 • 16 + 70 + 88 + 89 50	Barton 8 teetLR 34th Ave SW & SW Barton 8t Delridge.BY 5078 25th Ave SW HP Commons Park.BY 32nd Ave SW & SW Graham 8t. HP Juneau & 32nd Ave SW HP Juneau Market BYJB SW Juneau & 32nd Ave SW HP Juneau Market BYJB SW Juneau & 32nd Ave SW HP MaoArthur Park. BY 2726 MacArthur Lane Lincolin Park.LR 7400 Reunteng Way SW Longfellow Creek.LR 25th Ave SW & SW Thiste St. Marra Farm & MarketSY
• 85 • 16 + 70 + 88 + 69 50 47	Barton 8 tee\$LR 34th Aire 8W & 8W Berton 8t Deiridgs-BY 5078 25th Aire 8W HP Commons Parik-BY 32nd Aire 8W & 9W Grahem 8t. HP Juneau BY 8W Juneau & 32nd Aire 8W HP Juneau Mariket-BYJIB 8W Juneau & 32nd Aire 8W HP MacArthur Parik-BY 2726 MacArthur Lane Lincolin Parik-LR 7400 Reuntercy Way 8W Longtellow Creek-LR 25th Aire 8W & 8W Triste 8t.





Updated 2013/12/3